













1.5m drop



















touch screen



nfc

mini sd



NFT10-BHGG mobile computers

Features

Sleek design.

At only 12.6mm think, the NFT10 fits easily into your hand so that you stay comfortable throughout those long work days.

Comprehensive data capture.

The NFT10 has a variety of data capture options, including: 1D/2D barcode scanning, NFC RFID reading, fingerprint recognition and GPS/Beidou/GLONASS.

Versatile connectivity.

With dual band WiFi and 4G support, the NFT10 stays connected. The dual SIM also allows you to use the most suitable provider no matter where you are.

Powerful performance.

Thanks to its Android 8.1 OS and 2.0GHz octa core processor, the NFT10 is quick and reliable.

Long lasting battery.

The NFT10 is designed with low power in mind which significantly extends its usage time. The 4800mAh battery also supports fast charging with a Type C port.

Strong & durable.

For tough environments, the NFT10 has a IP67 sealing against water and dust and withstands 1.5m drops.



Application Scenarios







healthcare

hospitality

NFT10-BHGG technical specifications

Accessories	Optional	AC adapter, cable, charging cradle, 4-slot charger, etc.
	GPS	GPS, Beidou, GLONASS
	RFID	ISO14443A/B, ISO15693, ISO18000-3, MIFARE, FeliCa RF, Kovio, NFC Forum Type 1-4 Tags
	WPAN Radio	Bluetooth 5.0
	WLAN Radio	IEEE 802.11 a/b/g/n/ac, 2.4GHz and 5GHz
Wireless	WWAN Radio	2G: GSM/GPRS/EDGE (850/900/1800/1900MHz); 3G: WCDMA (B1, B2, B5, B8); CDMA 1X/EV-D0 (BC0); TD-SCDMA(B34, Band39); 4G: TD-LTE (B34, B38, B39, B40, B41); FDD-LTE (B1,B2,B3,B5,B7,B8,B20,B28)
	Sealing	IP67
	Drop	1.5m drops to concrete (BG/T 2423.8-1995 PART2)
	Electro Static Discharge (ESD)	±12kV (air discharge); ±8kV (direct discharge)
	Humidity	5% to 95% (non-condensing)
	Storage Temperature	-30°C to 60°C (-22°F to 140°F)
Environmental		-20°C to 50°C (-4°F to 122°F)
	Camera	Front Camera: 2 megapixels, fixed focus; Rear camera: 13 megapixels, auto focus, with LED flashlight
	Expansion Slot	TF card (max. 128GB) slot; Nano+Nano or Nano+TF
	Audio Jack	Type-C earphone
	Sensors	Light & Proximity sensor, accelerometer sensor, magnetic sensor
	Power Supply Output	DC5V/9V, 1.67A
	Power Supply Input	AC110 ~ 220V, 50~60Hz
	Notifications	Vibrator, speaker and multi-color LEDs
	Battery Type	4.35V, 4800 mAh
	Interfaces	Type-C 2.0 OTG, Type-C earphone
	Keypad	5 keys (side keys included)
	Touch panel	multi-point capacitive touch screen
	Display	5.7" (1440x720) 18:9
	Weight	231g (including battery)
Physical	Dimensions (mm)	157 x 76.3 x 12.6mm
	2D	PDF417, QR Code, Data Matrix, Chinese Sensible Code, Aztec, etc.
Data capture	1D	Code 128, UCC/EAN-128, AIM-128, EAN-8, JAN-8, EAN-13, ISBN/ISSN, UPC-E, UPC-A, Interleaved 2/5, ITF-6, ITF-14, Deutsche 14, Deutsche 12, COOP 25, Matrix 2/5, Industrial 2/5, Standard 25, Code 39, Codabar/NW7, Code 93, Code 11, Plessey, MSI/Plessey, GS1 Databar, etc.
	Field of View Vertical	28°
	Memory Storage Expansion (Max.)	·
	Memory Flash	64GB
	Memory RAM	468
	Processor	2.0 GHz octa-core 64-bit processor
Performance	Operating System	Android 8.1

