

TE14 SERIES IMMERSIVE COLLABORATION FOR EDUCATION AND ENTERPRISE







TE14 SERIES IMMERSIVE COLLABORATION FOR EDUCATION AND ENTERPRISE

Today's students are tomorrow's professionals – helping to shape industry, science and progress. Our teachers and leaders demand high performance, reliability and flexibility.

The **TE14 SERIES** from iiyama empowers all education, training and presentation environments to seamlessly deliver engaging content, collaborative tools and thanks to our hybrid solution deck of Android 13 and OPS Slot PC features, you can be sure that no matter what your Interactive aspiration, iiyama has the simplified solution just for you.

The new Multi-Screen Display feature allows you to link multiple screens and run as many different applications as you need for dual and triple display integration in large spaces like lecture amphitheatres and large meeting/ boardrooms.

The high quality built-in 8 Array Microphone and Dual Directional Speakers support conferencing configurations and our 500Hz Frame Rate Touch sensor delivers the smoothest and fastest Touch response ever seen with added Touch features like Dual Palm Rejection and Anti-Bacterial Pens for safety in multiple user environments...

...this is why iiyama is the trusted Interactive Display brand for many of the world's largest organisations in education and business alike.

With sizes from 65", 75" and 86" everyone will benefit from the flexibility and clarity that the **TE14 SERIES** delivers.

TE14 SERIES AMAZING, EASY-TO-USE FEATURES YOU CAN EMPLOY EVERYDAY

Pure Touch-IR+


PURETOUCH-IR+

Enjoy accurate and responsive 50pt Touch technology with Touch pen recognition.

OPS PC slot

STANDALONE SOLUTION

Unlock all of the security and flexibility of Windows IoT with the optional OPS Slot PC.



MICROPHONE

The high quality 8-array microphone with 8m voice pick-up and dual directional speakers (2x18W facing up, 2x 8W front facing) support conferencing configurations with ultra clear sound.

Delivers the latest in video, audio and Touch signal, all through one port and even charges your device with 100W power delivery.

Featuring Note, Browser, Cloud Drive and optional tested apps for your organisation.

IIYAMA SHARE

Connect up to 9 devices and share content both ways. Supporting AirPlay, Chromecast and Miracast.



TE14 SERIES SPECIFICATIONS AND ACCESSORIES





TE6514MIS-B1AG | TE7514MIS-B1AG | TE8614MIS-B1AG

Diagonal	65 ″ (163.9cm) 75 ″ (189.3cm) 86 ″ (217.4cm)
Panel type	VA, AG coated glass, zero air-gap
Resolution	3840x2160 (4K UHD)
Panel brightness (cd/m ²)	435
Light transmittance	92%
Static Contrast	65 " 4000:1 75 " 5000:1 86 " 4000:1
Operation time	24/7
Orientation	Landscape
Touch technology	PureTouch-IR+, 50 Touch points, 10pt Writing
Video IN	HDMI x4 (2.0), DisplayPort x1 (2.1), USB-C x2 (3.1, 1x front: 100W PD, 1x back: 15W PD, Touch, DP 1.2 Alt mode)
Video OUT	HDMI x1 (2.0, Multi-Screen Display (MSD)), USB-C x1 (3.1,Multi-Screen Display (MSD), 5W PD, Touch, DP 1.2 Alt mode)
Audio IN	MiniJack
Audio OUT	Speakers 2x 18W (facing up), 2x 8W (font facing), S/PDIF, MiniJack
RAM/ ROM	8GB/ 64GB
Controls	RS232c x1 (DSUB 9pin), RJ45 (LAN) x2 (IN/OUT), USB touch x2)
USB Ports	6x (front side: 2x 3.0, 1x USB-C 3.1 (PD 100W), right side: 2x 3.0, 1x USB-C 3.1 (PD 15W))
Dimensions (w x h x d) / Weight	65″ 1488 x 908 x 86mm / 39kg 75″ 1709 x 1031 x 86mm / 51.5kg 86″″ 1957 x 1171 x 86mm / 63.6kg
VESA (mm)	65 " 600x400 75 " 800x400 86 " 800x600
Features	iiWare 11 (Android 13 OS), iiyama DMS (Device management System), pre-installed apps iiyama Share & EShare, WiFi module slot (OWM002), OPS PC Slot, 4 dual function Touch pens (Anti-Bacterial), Ambient Light Sensor, Mounting bracket for NUC, Mounting bracket for webcam, Build-in 8-Array Microphone with 8m voice pick-up
OPS PC (optional)	OPC51104BC
Wall Mount (optional)	65" MD CAR1021-B1, MD CAR2011-B1, MD WLIFT1021-B1 65"/75" MD 052B2000, 86" MD 052B2010
Warranty	5- year standard warranty in selected regions